

QIDS-SR to MADRS conversion ₁		QIDS-SR to HRSD(17/21) conversion ₂			MADRS to HRSD-17 ₃	
QIDS-SR	MADRS	QIDS-SR	HRSD-17	HRSD-21	MADRS	HRSD-17
0	0	0	0	0-1	0	0-1
1	1	1	1-2	2	1	2
2	2	2	3	3	2-3	3
3	3-4	3	4	4	4-5	4
4	5-6	4	5-6	5-6	6	5
5	7-8	5	7	7-8	7	6
6	9-10	6	8	9	8-9	7
7	11-12	7	9-10	10	10	8
8	13-14	8	11	11-12	11-12	9
9	15-16	9	12	13	13	10
10	17-18	10	13	14-15	14-15	11
11	19-20	11	14-15	16	16	12
12	21	12	16	17	17-18	13
13	22-23	13	17	18-19	19	14
14	24-25	14	18-19	20-21	20	15
15	26-27	15	18-19	22	21-22	16
16	28-29	16	20	23	23	17
17	30-31	17	21-22	24-25	24-25	18
18	32-33	18	23	26	26	19
19	34	19	24	27	27	20
20	35-36	20	25	28	28-29	21
21	37-38	21	26-27	29-31	30	22
22	39-40	22	28	32	31	23
23	41-42	23	29	33-34	32-33	24
24	43-44	24	30-31	35-36	34	25
25	45-46	25	32	37-38	35	26
26	47-48	26	33-35	39-41	36	27
27	49-60	27	36-52	42-64	37	28
					38-39	29
					40	30
					41	31
					42-43	32
					44	33
					45	34
					46-47	35
					48	36

					49	37
					50	38
					51	39
					52	40
					53	41
					54	42-43
					55	44
					56	45-47
					57	48-50
					58-60	51-52

References

1. Carmody TJ, Rush AJ, Bernstein IH, Brannan S, Husain MM, Trivedi MH. Making clinicians lives easier: guidance on use of the QIDS self-report in place of the MADRS. *J Affect Disord.* 2006 Oct;95(1-3):115-8. doi: 10.1016/j.jad.2006.03.024. Epub 2006 May 16. PMID: 16707162; PMCID: PMC2020429.
2. Rush, A. J., Trivedi, M. H., Ibrahim, H. M., Carmody, T. J., Arnow, B., Klein, D. N., ... & Keller, M. B. (2003). The 16-Item Quick Inventory of Depressive Symptomatology (QIDS), clinician rating (QIDS-C), and self-report (QIDS-SR): a psychometric evaluation in patients with chronic major depression. *Biological psychiatry*, 54(5), 573-583.
3. Carmody, T. J., Rush, A. J., Bernstein, I., Warden, D., Brannan, S., Burnham, D., Woo, A., & Trivedi, M. H. (2006). The Montgomery Asberg and the Hamilton ratings of depression: a comparison of measures. *European neuropsychopharmacology : the journal of the European College of Neuropsychopharmacology*, 16(8), 601-611. <https://doi.org/10.1016/j.euroneuro.2006.04.008>